The all-new



TEMPTATION...





| EXTERIOR          | 0   |
|-------------------|-----|
| INTERIOR          | 18  |
| PERFORMANCE       | 34  |
| SAFETY            | 46  |
| DRIVING AMENITIES | .52 |
| ACCESSORIES       | 60  |

EXTERNOR Turns heads

Honestly, I love beautiful things because my world revolves around them! Therefore, it's no wonder that my Suzuki Swift delivers on beauty, looks and elegance.

Hania Amin



# HONEYCOMB FRONT GRILL Detailing that accentuates curves for a bold persona.



#### ADJUSTABLE, AUTOMATIC LED PROJECTOR HEAD LAMPS

Sensor enabled power beams maximize visibility in the darkest of nights.

#### DRL (DAYTIME RUNNING LAMP)

Show-stopping technology commands attention.







#### **ALLOY WHEELS**

Polished alloys add to the appeal of your Swift, allowing the suspension to follow terrain more easily, providing you with a better grip and a sporty look.

#### **KEYLESS SMART ENTRY**

Proximity alerts your car even when you have the remote in your pocket. Enjoy your new favourite no-contact sport!



#### **BACK DOOR HANDLES**

Pillar mounted back door handles, crafted for people with an eye for style, give your Swift that sporty vibe.



























#### **BLUETOOTH COMPATIBLE AUDIO SYSTEM**

Enjoy music and respond to or make calls conveniently, connect your phone to the infotainment system through Bluetooth.

#### **NAVIGATION SYSTEM**

Explore new routes with your Suzuki Swift's navigation system. Always know where you are and where you're headed.

#### INDEPENDENT SIM CONNECTION

Give your Suzuki Swift its own connection, without any hassle and complicated controls. Simply add a sim to the infotainment system.

#### 9 INCH SCREEN

Sporting the largest screen in the category, 9 inches of screen-real-estate means a clearer, enhanced display.

#### MORE WIRELESS CONNECTIONS AND SCREEN MIRRORING

Functions beyond just music and calling, connect your Android or Apple smartphones to the infotainment system for screen mirroring.

#### **ULTRA-SMOOTH SPEEDY EXPERIENCE**

Octa-core processor with 4GB RAM
























#### SPACE THAT'S STYLISH YET SENSIBLE

An evolution in vehicle packaging allows your Swift to meet the needs of drivers who want both style and space. 265 liters of extra allowance in the cabin and luggage space goes a long way.

Maximize the joy of pursuing your hobbies or in simply having more space for fun.







No matter what the turf, when I drive, I drive and my Suzuki Swift is so similar to me, it almost seems like my mechanical double and we're both in it for the long... long run.

Bapar Azam





#### A HEART-THROBBING DRIVING PULSE AND UNCOMPROMISING FUEL EFFICIENCY

Quick and expansive acceleration. VVT technology for excellent

#### **VARIABLE VALVE TIME (VVT)**


VVT technology provides an enhanced engine performance by varying the time engine valves stay open. This ensures better fuel consumption and minimal exhust emissions, so fuel is burned more cleanly and efficiently.


### 1.2 PETROL ENGINE - MORE POWERFUL

Heightened compression ratio results in better thermal efficiency for powerful driving. Knocking, is suppressed by the engine's augmented cooling performance. Fuel combustion has been enhanced, friction has been reduced and efforts have been made to make the engine light and compact.










#### LIGHTNESS AND STRENGTH FOR ENHANCED FUNDAMENTAL PERFORMANCE

The HEARTECT next-generation platform features a high-rigidity frame that contributes to crash safety, and the frame's continuous and smoothly curving shape with fewer joints effectively disperses impact energy in case of a collision. As part of HEARTECT, a newly designed suspension, both up-front and in the rear, underpins a nimble driving experience, providing both the linear steering control for which the all-new Swift is known, and a ride quality that is solid yet supple and comfortable.

## LIGHT AND HIGHLY RIGID BODY FOR AGILE DRIVING AND GOOD FUEL ECONOMY

Extensive use of high-tensile steel and ultra-high-tensile steel such as in the upper body and underbody, achieves both lightness and high rigidity for enhanced driving pleasure and excellent fuel economy.





## MINIMUM TURNING RADIUS OF 4.8M FOR EASIER MANEUVERABILITY

Use of the new platform allows for an impressive turning angle, resulting in a turning radius of only 4.8m. Enabling small turns on narrow streets and in tight parking spaces.





## SAFETY that's reliable




#### **INJURY MITIGATION BODY FOR PEDESTRIAN SAFETY**

Pedestrian safety has also been thoroughly considered. Such features as an impact-absorbing bonnet, wiper system and front bumper are designed to mitigate pedestrian head and leg injuries in the event of a collision.




#### ABS + EBD FOR SUPPORTING DRIVE BRAKING

Suzuki Swift assures the safety of drivers, with Anti-Lock Braking System. ABS ensures safety in case of sudden emergency brakes and along with Electronic Brakeforce Distribution (EBD), distributes the force of braking automatically on all wheels separately, to avoid collision and also increase vehicle traction while on road.



#### **ESP CONTROL**

Should the wheels lose traction, ESP (Electronic Stability Program) control automatically adjusts the engine and brakes to help keep the driver in control.



#### HILL HOLD CONTROL

Your Suzuki Swift is focused on serving your needs to exactly the right degree.





#### CAR ALARM

A robust car alarm system provides security against unauthorized access.

## 6 OCCUPANT-PROTECTIVE SRS AIRBAG SYSTEM FOR COLLISION SAFETY

Your protection is top priority for the Suzuki Swift which comes fitted with 6 power-packed SRS airbags set to deploy from both the front as well as the sides in case of collision keeping you secure from all sides.



50









Booming surround sound system in the front and rear creates just the mood needed for a fun drive with your squad.

Designed with elegant side mirrors that are retractable and adjustable at the touch of a button. Fitted with turning side lamps that pivot, allow the driver to feel absolute control.

Designed to give you optimized support and ultimate convenience while parking.

#### **REAR VIEW CAMERA**

A wide view angle provides you with increased visibility when backing out of a driveway or a car park. It indicates the projected trajectory of your vehicle for added safety.

## CLIMATE CONTROL WITH OPTIMIZED DISPLAY

Serving your needs to exactly the right degree. The climate control panel allows intuitive operation with easy recognition through the use of a high-contrast LCD.









**SPARE TYRE KIT:** 

Pragmatic spare tyre kit for any eventuality.

your car's undercarriage.

#### **REAR SPOILER:**

Snazzy roof end that adds personality and visual appeal.

storage compartment.



#### MAJOR EQUIPMENT


| Model   |  | Suzuki Swift |             |           |
|---|--|--------------|-------------|-----------|
| Variant.  |  | GL           | GL (CVT)    | GLX (CVT) |
| Drive   | fF   | 2WD          | 2WD         | 2W0       |
| Exterior  |  |              |             |           |
| Outside door handles                              | Silky Silver, Solid White, Mineral Gray  | Body Colour  | Body Colour | Chrome    |
|   | Phoenix Red, Cerulean Blue, Black  | Black        | Black       | Chrome    |
| ORVM (Outside Rear view mirror)                   | Body colour  | S            | S           | 5         |
| Visibility  |  |              |             |           |
| Head Lamp   | Halogen Multi-reflector  | 5            | 5           |           |
|   | LED projector  |              | - 8         | S         |
| Head lamp leveling device                         | Manual   |              | 8           | S         |
| Automatic head lamp                               |  | Ψ.           | ¥           | S         |
| DRL   | *LED (Mounted on front bumper)*  | S            | S           | *         |
| DATE.   | *LED (Integrated in H/L)*  | *            | *           | S         |
| Front fog lamp                                    | Bulb   | 8            | *           | 5         |
| High mount stop lamp                              | LED  | 5            | 5           | 5         |
| Rear combination lamp                             | LED  | 5            | s           | 5         |
| Rear camera                                       |  | *            |             | S         |
| Wiper   | Front: 2 speeds (low,high)<br>+ adjustable intermittent                                  | s            | s           | s         |
|   | Rear Intermittent  | S            | S           | S         |
|   | Electrical adjust  | S            | S           | S         |
| DRVM (Outside Rear view mirrors)                  | Electrical fold (retractable)  | *            | *           | S         |
| mirrorsy  | With built-in turn signal lamp   | -            | +           | S         |
| Steering and Instrument Pane                      |  |              |             |           |
|   | Electric   | S            | 5           | 5         |
| 200000000000000000000000000000000000000           | Tilt-adjust  | S            | S           | S         |
| Power steering                                    | Telescopic   | #            | 9           | S         |
|   | Hands-free & Audio controls switch   | 2            | 2           | S         |
| 9 inches infotainment system                      |  | S.           | S           | \$        |
| Rear defogger switch                              |  | \$.          | S           | S.        |
| Tachometer  |  | Analogue     | Analogue    | Analogue  |
| Fuel meter  |  | Bar          | Bar         | Needle    |
| Information Display integrated into meter culster | Instant fuel economy, Driving time, Speed,<br>Range, Average fuel economy, Average speed | 8            | 8           | s         |
| Driving Amenities                                 |  |              |             |           |
| Window opening                                    | Front-Electric (with driver side anti-pinch technology)                                  | s            | s           | s         |
| N 5   | Rear-Electric  | S            | S           | S         |
| Smart trunk opener                                |  | *            |             | 5         |
| Central door locking switch                       | Driver   | 5            | 5           | 5         |
| Light-off & key reminder                          |  | 5            | 5           | 5         |
| AND           | Manual   | S            | s           |           |
| Air Conditioner                                   | Automatic  | 9            | 8           | s         |
| Puncture repair kit                               |  | š            | Ś           | s         |

| Variant   |  | GL   | GL (CVT)   | GLX (CVT)  |
|---|--|--|--|--|
| Cruise control  |  |  | -  | - 5  |
| Sports mode   |  | 528  | S  | S  |
| Audio   | Front Speakers x 2   | S  | S  | 5  |
|   | Rear Speakers x 2  | 243  | 245  | \$   |
|   | Antenna (Roof) Micropole   | S  | S  | S  |
| 297   | Remote control door opening / locks  | 5  | 5  | 5  |
| Keyless entry   | Smart keyless entery   | 285  | 283  | 5  |
| Keyless push start  |  | 117.1  | 151  | 5  |
| Interior  | _  |  |  |  |
| an extraor and a construction   | Front Door (1000ml)  | S  | S  | 5  |
| Door bottle holders   | Rear door (600mi)  | 5  | 5  | 5  |
| Door trim pocket  | Front/Rear   | Š  | S  | S  |
| nside door handle   | Chrome plating   | (*)  | 100  | S  |
| Sear Shift knob   | With ornament  | Piano Black  | Piano Black  | Piano Black  |
| inside rearview mirror  | Manual dimming   | S  | S  | S  |
| Foot rest   | Driver   | 22.0   | 5  | \$   |
| 200000000   | Front  | 2  | 2  | 2  |
| Cup holder  | Rear   | 1  | 1  | 1  |
| uggage area light   | ******   | 5  | 3  | S  |
| Accessory socket  |  | Š  | S  | Š  |
| Sun visor   | Driver & Passenger; with ticket holder and varity mirror   | S  | S  | s  |
| Room lamp   | Roof Front (3-position)  | S  | S  | S  |
| Seats   |  |  |  |  |
| en e  | Headrest   | Separate Type  | Separate Type  | Separate Type  |
| Front Seat  | Height adjuster (Driver)   | 5  | 5  | 5  |
| Rear Seat   | Headrest   | 5  | 5  | S  |
| Safety and Security   |  |  |  |  |
| Salety and Security   |  |  |  |  |
| N 100 100 100 100 100 100 100 100 100 10  | Rear door  | S  | s  | S  |
| Chilidproof rear door locks   | Rear door<br>Driver  | S<br>S   | S<br>S   | S  |
| Chilidproof rear door locks   | Driver   |  |  |  |
| Childproof rear door locks<br>Front airbag  |  | S  | S  | s  |
| Childproof rear door locks<br>Front airbeg<br>Side airbags  | Driver<br>Passenger  | S<br>S   | S<br>S   | S<br>S   |
| Chilidproof rear door locks Front airbag Side airbags Curtain airbags   | Driver<br>Passenger  | \$<br>\$<br>+  | \$<br>\$<br>+  | \$<br>\$<br>\$   |
| Chilidproof rear door locks Front airbag Side airbags Curtain airbags ABS with EBD                                | Driver<br>Passenger  | \$<br>\$   | \$<br>\$<br>+  | \$<br>\$<br>\$<br>\$                                     |
| Childproof rear door locks Front airbag Side airbags Curtain airbags ABS with EBD ESP                             | Driver<br>Passenger  | \$<br>\$<br>-<br>-<br>5                                  | \$<br>\$<br>-<br>-<br>-<br>5                             | \$<br>\$<br>\$<br>\$<br>\$                               |
| Childproof rear door locks Front airbag Side airbags Curtain airbags ABS with EBD ESP Parking sensors             | Driver<br>Passenger<br>Front   | \$<br>\$<br>-<br>-<br>5<br>\$                            | \$<br>\$<br>-<br>-<br>5                                  | \$<br>\$<br>\$<br>\$<br>\$<br>\$                         |
| Childproof rear door locks Front airbag Side airbags Curtain airbags ABS with EBD ESP Parking sensors             | Driver Passenger Front  Rear  Driver & Passenger (3-point ELR seathelts with force limiter and shoulder  | \$ \$ \$   | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ |
| Childproof rear door locks Front airbag Side airbags Curtain airbags ABS with EBD ESP Parking sensors             | Driver Pessenger Front  Rear  Driver & Passenger (3-point ELR seathelts with force limiter and shoulder height adjuster)  Rear (3-point ELR - side & centre) | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | \$ \$ \$   | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$    |
| Childproof rear door locks Front airbag Side airbags Curtain airbags ABS with EBD ESP Parking sensors             | Driver Pessenger Front  Rear  Driver & Passenger (3-point ELR seathelts with force limiter and shoulder height adjuster)                                     | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | \$ \$ \$   | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ |
| Childproof rear door locks Front airbags Side airbags Curtain airbags ABS with EBD ESP Parking sensors Seat belts | Driver Pessenger Front  Rear  Driver & Passenger (3-point ELR seathelts with force limiter and shoulder height adjuster)  Rear (3-point ELR - side & centre) | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$                   | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ |

#### MAJOR SPECIFICATIONS

| Variant            |   | GŁ               | GL (CVT)  | erx (ca)  |  |
|--------------------|---|------------------|---|---|--|
| Dimension          |   |                  |   |   |  |
| Overall length     | min   |                  | 3,845   |   |  |
| Overall width mm   |   |                  | 1,735   |   |  |
| Overall height mm  |   | 1,520            |   |   |  |
| Wheelbase          | Wheelbase   |                  | 2,450   |   |  |
| T                  | Front mm  |                  | 1,515   |   |  |
| Tread              | Rear mm.  |                  | 1,520   |   |  |
| Ground clearance   | mm  | mm 160           |   |   |  |
| Turning radius m   |   |                  | 4.8   |   |  |
| Curb weight kg     |   | 855              | 885   | 895   |  |
| Capacity           | 100   |                  |   |   |  |
| Fuel Tank Capacity | T.  | 37               | 37  | 37  |  |
| Seating Capacity   |   | 5.               | 5.  | 5   |  |
| Engine             | 110   |                  |   |   |  |
|                    | Type (VVT)+   |                  | X12M  |   |  |
|                    | Valve mechanism   | DOHC 16 Volve WT |   |   |  |
|                    | Piston displacement (cc)  |                  | 1,197   |   |  |
| 2000000            | Bore x stroke (mm)  | 73.0×71.5        |   |   |  |
| Engine             | Compression ratio   |                  | 11  |   |  |
|                    | Maximum output (kW/rpm)   | 61/6,000         |   |   |  |
|                    | Maximum torque (N *m/rpm)                                       | 113/4,200        |   |   |  |
|                    | Fuel tank capacity (L)  | 37               |   |   |  |
| Chassis            |   |                  |   |   |  |
| Wheel              | 16 inches Alloy wheels (Polished/Painted)<br>+ Center wheel cap | Painted          | Painted   | Polished  |  |
|                    | Front ventilated disc   | 5                | 3   | S   |  |
| Brakes             | Rear drum   | S                | S   | S   |  |
|                    | Front (MacPherson strut)  | S                | S   | S   |  |
| Suspension         | Rear (Twist-beam)   | 5                | 5   | 8   |  |
| Tyre size          |   | 185/55R16        | 185/55R16:  | 185/55R16   |  |
| Transmission       | 10  |                  |   |   |  |
| Type               |   | SMT              | CVT   | CVI   |  |
| Gear Ratio         | 1st   | 3.545            | 4.806 - 0.550<br>(LOW:4.006 -<br>1.001,<br>HIGH:7.200 -<br>0.550) | 4.006 - 0.550<br>(LOW:4,006 -<br>1.001,<br>HIGH 2.200 -<br>0.550) |  |
|                    | 2nd   | 1.904            |   |   |  |
|                    | 3rd   | 1.240            |   |   |  |
|                    | Ath   | 0.914            |   |   |  |
|                    | 5th   | 0.717            |   |   |  |
|                    | Reverse   | 3.272            | 3.771   | 3.771   |  |
|                    | Final Gear Ratio  | 4,388            | 3,757   | 3.757   |  |

\*variable valve timing



PAK SUZUKI MOTOR CO. LTD. reserves the right to change, without notice, prices, colors, materials, equipments, specifications & models and also to discontinue the models.

\* Some pictures used in this brochure may be international models



Your unshakable relationship with Suzuki is backed, by a country-wide network of sales, service and spare parts. Wherever you may be, you can trust there is a comprehensive eco-system you can rely on.



### LARGEST DEALERSHIP NETWORK

Find 168 outlets in 91 cities.



WARRANTY Enjoy 3 years or 60,000 km warranty.



EXTENDED WARRANTY
Peace of mind with complementary services.



#### GENUINE SPARE PARTS

Convenience of easy availability of spare parts, nationwide.



#### LARGEST SERVICE SHOP GRID

Experience the country's largest service shop network.



#### FIRST TWO FREE SERVICES

Get the first two services absolutely free.



#### SUZUKI ROADSIDE ASSISTANCE

Always ready to support in case of a car breakdown, our technically equipped, highly trained staff is one you can count on.





#### PAK SUZUKI MOTOR CO. LTD.

Head Office Karachi:

DSU-13, Pak Steel Industrial Estate, Bin Qasim, Karachi. Call Centre: 111-SUZUKI (021-111-789-854) Tel: 34723551-58 Fax: 34723521-3 E-mail: customercentre@paksuzuki.com.pk Website: www.suzukipakistan.com

#### **Regional Office South:**

Plot No. 49-B, Block No. 6, PECHS, Main Shahrah-e-Faisal, Karachi.

#### Regional Office Central Punjab:

7-A, Aziz Avenue, Canal Bank Road, Gulberg-5, Lahore. Tel: 042-35775456-7 Fax: 042-35775467

#### Suzuki Pakistan

Regional Office South Punjab: Office No. 402, 4th Floor United Mall, Abdali Road, Multan. Tel: 061-4586489, 4516491 Fax: 061-4581353

#### @SuzukiPakistan



#### **Regional Office North:**

Suzuki Pakistan

3rd Floor Malhi Plaza, Opp. Ministry of Defence, Production Building, Murree Road, Rawalpindi, Cantt. Tel: 051-5130229-31 Fax: 051-5130232